

Data from year 2011

Table B.1.1

General population of the country/region by age group and gender, and percent coverage of the general population in 2011

Country / Region name	General population in thousands							% Coverage of general population by the registry
	All	0-19	20-44	45-64	65-74	75+		
Slovakia	Men	2 632	597	1 066	709	165	95	100,0
	Women	2 772	567	1 021	754	234	196	
	All	5 404	1 164	2 087	1 463	399	291	

Comments:

Data from year 2011

Table B.1.2

Renal centres: total number of centres and number collaborating

Country / Region name	Total number of renal centres	Number of renal centres collaborating with the registry
Slovakia	69	69

Comments:

Data from year 2011

Table B.2.1

Incident counts and incident rates per million population, unadjusted
at day 1

Country / Region name	All		Men		Women	
	N	Pmp	N	Pmp	N	Pmp
Slovakia	804	148,8	439	166,8	365	131,7

Remarks:

- The general population data of all, men and women of Table B.1.1 are used to calculate the incident rates per million population for all, men and women, respectively. The "% Coverage of general population by the registry" is taken into account.

Comments:

"Data included dialysis patients only"

Data from year 2011

Table B.2.2

Gender, mean and median age of incident patients
at day 1

Country / Region name	All				Men				Women			
	%	Mean (years)	SD	Median (years)	%	Mean (years)	SD	Median (years)	%	Mean (years)	SD	Median (years)
Slovakia	100	63,3	13,3	64,0	54,6	61,8	12,8	62,0	45,4	65,2	13,7	67,0

Remarks:

- Table B.2.1 is used for the calculation of the percentages.

Comments:

"Data included dialysis patients only"

Data from year 2011
 Table B.2.3
 Incident rates per million population, adjusted
 at day 1, adjusted for age and gender

Country / Region name	All Pmp	Men Pmp	Women Pmp
Slovakia	165,2	190,6	144,2

Remarks:

- If you enter the general population data of your country/region and the incidence counts at day 1 in the excel file "[calculating_adjusted_inc_prev_pmp_for_2010_using_eu27_2005.xls](#)", it will calculate the adjusted incident rate Pmp for you.
- Otherwise, the table below contains the general population of EU27 of year 2005 which should be used for the adjustment calculations. The excel file "[calculating_adjusted_inc_prev_pmp_for_2010_using_eu27_2005.xls](#)" gives an example how to calculate the for age and gender adjusted values. To calculate the adjusted values, please take into account the "% Coverage of general population by the registry" (see Table B.1.1).

Age groups	EU27 2005		
	All	Men	Women
0-4	25 319 377	12 987 194	12 332 183
5-9	25 785 403	13 220 589	12 564 814
10-14	27 909 860	14 308 595	13 601 265
15-19	30 553 193	15 655 201	14 897 992
20-24	32 182 224	16 362 495	15 819 729
25-29	33 801 832	17 155 652	16 646 180
30-34	35 618 802	18 014 943	17 603 859
35-39	37 664 584	19 014 329	18 650 255
40-44	37 194 942	18 664 119	18 530 823
45-49	35 145 729	17 491 426	17 654 303
50-54	32 862 110	16 196 648	16 665 462
55-59	30 683 670	15 009 724	15 673 946
60-64	25 257 188	12 132 666	13 124 522
65-69	24 176 265	11 232 568	12 943 697
70-74	20 772 535	9 170 809	11 601 726
75-79	17 024 353	6 886 468	10 137 885
80-84	12 055 615	4 197 014	7 858 601
85-∞	8 007 800	2 300 954	5 706 846
Total	492 015 482	240 001 394	252 014 088

Comments:

"Data included dialysis patients only"

Data from year 2011

Table B.2.4

Incident rates per million population and percentage, unadjusted
at day 1, by cause of renal failure

Country / Region name	Total		GN		PN		PKD		DM		Both		HT		RVD		Misc		Unkn		Missing	
	N		N		N		N		Type I N	Type II N	N		N		N		N		N		N	
Slovakia	804		82		81		23				296		55		40		212		15		0	

Country / Region name	Total		GN		PN		PKD		DM		Both		HT		RVD		Misc		Unkn		Missing		
	Pmp	%	Pmp	%	Pmp	%	Pmp	%	Type I Pmp	%	Type II Pmp	%	Both Pmp	%	HT Pmp	%	RVD Pmp	%	Misc Pmp	%	Unkn Pmp	%	Missing Pmp
Slovakia	148,8	100	15,2	10,2	15,0	10,1	4,3	2,9			54,8	36,8	10,2	6,8	7,4	5,0	39,2	26,4	2,8	1,9	0,0	0,0	

Abbreviations used: GN: glomerulonephritis/sclerosis; PN: pyelonephritis; PKD: polycystic kidneys, adult type; DM: diabetes mellitus; HT: hypertension; RVD: renal vascular disease; Misc: miscellaneous; Unkn: unknown

Remarks:

- The values "Total N" and "Total Pmp" are copied from Table B.2.1.
- Please, fill in "0" when the count = "0". Only leave a box empty (grey) when the data are unavailable.

Comments:

"Data included dialysis patients only"

Data from year 2011

Table B.3.1

Incident counts and incident rates per million population, unadjusted
at day 91

Country / Region name	All		Men		Women	
	N	Pmp	N	Pmp	N	Pmp
Slovakia	688	127,3	381	144,8	307	110,8

Remarks:

- The general population data of all, men and women of Table B.1.1 are used to calculate the incident rates per million population for all, men and women, respectively. The "% Coverage of general population by the registry" is taken into account.

Comments:

"Data included dialysis patients only"

Data from year 2011

Table B.3.2

Gender, mean and median age of incident patients
at day 91

Country / Region name	All				Men				Women			
	%	Mean (years)	SD	Median (years)	%	Mean (years)	SD	Median (years)	%	Mean (years)	SD	Median (years)
Slovakia	100	62,1	13,4	63,0	55,4	60,5	12,7	61,0	44,6	64,1	13,9	66,0

Remarks:

- Table B.3.1 is used for the calculation of the percentages.

Comments:

"Data included dialysis patients only"

Data from year 2011
 Table B.3.3
 Incident rates per million population, adjusted
 at day 91, adjusted for age and gender

Country / Region name	All Pmp	Men Pmp	Women Pmp
Slovakia	139,3	162,2	120,2

Remarks:

- If you enter the general population data of your country/region and the incidence counts at day 91 in the excel file "[calculating_adjusted_inc_prev_pmp_for_2010_using_eu27_2005.xls](#)", it will calculate the adjusted incident rate Pmp for you.
- Otherwise, the table below contains the general population of EU27 of year 2005 which should be used for the adjustment calculations. The excel file "[calculating_adjusted_inc_prev_pmp_for_2010_using_eu27_2005.xls](#)" gives an example how to calculate the for age and gender adjusted values. To calculate the adjusted values, please take into account the "% Coverage of general population by the registry" (see Table B.1.1).

Age groups	EU27 2005		
	All	Men	Women
0-4	25 319 377	12 987 194	12 332 183
5-9	25 785 403	13 220 589	12 564 814
10-14	27 909 860	14 308 595	13 601 265
15-19	30 553 193	15 655 201	14 897 992
20-24	32 182 224	16 362 495	15 819 729
25-29	33 801 832	17 155 652	16 646 180
30-34	35 618 802	18 014 943	17 603 859
35-39	37 664 584	19 014 329	18 650 255
40-44	37 194 942	18 664 119	18 530 823
45-49	35 145 729	17 491 426	17 654 303
50-54	32 862 110	16 196 648	16 665 462
55-59	30 683 670	15 009 724	15 673 946
60-64	25 257 188	12 132 666	13 124 522
65-69	24 176 265	11 232 568	12 943 697
70-74	20 772 535	9 170 809	11 601 726
75-79	17 024 353	6 886 468	10 137 885
80-84	12 055 615	4 197 014	7 858 601
85-∞	8 007 800	2 300 954	5 706 846
Total	492 015 482	240 001 394	252 014 088

Comments:

"Data included dialysis patients only"

Data from year 2011

Table B.3.4

Incident rates per million population and percentage, unadjusted
at day 91, by cause of renal failure

Country / Region name	Total		GN		PN		PKD		DM		Both		HT		RVD		Misc		Unkn		Missing	
	N		N		N		N		Type I N	Type II N	N		N		N		N		N		N	
Slovakia	688		78		60		22				256		51		29		184		8		0	

Country / Region name	Total		GN		PN		PKD		DM		Both		HT		RVD		Misc		Unkn		Missing	
	Pmp	%	Pmp	%	Pmp	%	Pmp	%	Type I Pmp	%	Type II Pmp	%	Both Pmp	%	Pmp	%	Pmp	%	Pmp	%	Pmp	%
Slovakia	127,3	100	14,4	11,3	11,1	8,7	4,1	3,2			47,4	37,2	9,4	7,4	5,4	4,2	34,0	26,7	1,5	1,2	0,0	0,0

Abbreviations used: GN: glomerulonephritis/sclerosis; PN: pyelonephritis; PKD: polycystic kidneys, adult type; DM: diabetes mellitus; HT: hypertension; RVD: renal vascular disease; Misc: miscellaneous; Unkn: unknown

Remarks:

- The values "Total N" and "Total Pmp" are copied from Table B.3.1.
- Please, fill in "0" when the count = "0". Only leave a box empty (grey) when the data are unavailable.

Comments:

"Data included dialysis patients only"

Data from year 2011

Table B.3.5

Incident counts

at day 91, by established therapy

Country / Region name	Total N	Haemodialysis					Total HD / HF / HDF N	APD N	Peritoneal Dialysis			Total PD N	Living N	Transplant		Total Tx N	Missing N
		HD hospital / centre N	HD home N	HD type Unkn N	HF N	HDF N			CAPD N	PD type Unkn N	Cadaver N			Tx type Unkn N			
Slovakia	688	356	0	0	0	309	665	8	15	0	23						

Abbreviations used: HD: haemodialysis; Unkn: unknown; HF: haemofiltration; HDF: haemodiafiltration; APD: automated peritoneal dialysis; CAPD: continuous ambulatory peritoneal dialysis; PD: peritoneal dialysis; Tx: transplant

Table B.3.6

Incident rates per million population, unadjusted

at day 91, by established therapy

Country / Region name	Total Pmp	Haemodialysis					Total HD / HF / HDF Pmp	APD Pmp	Peritoneal Dialysis			Total PD Pmp	Living Pmp	Transplant		Total Tx Pmp	Missing Pmp
		HD hospital / centre Pmp	HD home Pmp	HD type Unkn Pmp	HF Pmp	HDF Pmp			CAPD Pmp	PD type Unkn Pmp	Cadaver Pmp			Tx type Unkn Pmp			
Slovakia	127,3	65,9	0,0	0,0	0,0	57,2	123,1	1,5	2,8	0,0	4,3						

Table B.3.7

Percentage of established therapy, unadjusted

at day 91

Country / Region name	Total %	Haemodialysis					Total HD / HF / HDF %	APD %	Peritoneal Dialysis			Total PD %	Living %	Transplant		Total Tx %	Missing %
		HD hospital / centre %	HD home %	HD type Unkn %	HF %	HDF %			CAPD %	PD type Unkn %	Cadaver %			Tx type Unkn %			
Slovakia	100	51,7	0,0	0,0	0,0	44,9	96,7	1,2	2,2	0,0	3,3						

Remarks:

- The values "Total N" and "Total Pmp" are copied from Table B.3.1.
- Please, fill in "0" when the count = "0". Only leave a box empty (grey) when the data are unavailable.

Comments:

"Data included dialysis patients only"

Data from year 2011

Table B.4.1

Prevalent counts and prevalence per million population, unadjusted
prevalent patients on December 31

Country / Region name	All		Men		Women	
	N	Pmp	N	Pmp	N	Pmp
Slovakia	3107	574,9	1777	675,2	1330	479,8

Remarks:

- The general population data of all, men and women of Table B.1.1 are used to calculate the prevalence per million population for all, men and women, respectively. The "% Coverage of general population by the registry" is taken into account.

Comments:

"Data included dialysis patients only"

Data from year 2011

Table B.4.2

Gender, mean and median age
prevalent patients on December 31

Country / Region name	All				Men				Women			
	%	Mean (years)	SD	Median (years)	%	Mean (years)	SD	Median (years)	%	Mean (years)	SD	Median (years)
Slovakia	100	62,0	13,6	63,0	57,2	60,9	13,4	62,0	42,8	63,6	13,7	65,0

Remarks:

- Table B.4.1 is used for the calculation of the percentages.

Comments:

"Data included dialysis patients only"

Data from year 2011

Table B.4.3

Prevalence per million population, adjusted

prevalent patients on December 31, adjusted for age and gender

Country / Region name	All Pmp	Men Pmp	Women Pmp
Slovakia	628,9	767,1	514,6

Remarks:

- If you enter the general population data of your country/region and the prevalent counts in the excel file

"calculating_adjusted_inc_prev_pmp_for_2010_using_eu27_2005.xls", it will calculate the adjusted prevalence Pmp for you.

- Otherwise, the table below contains the general population of EU27 of year 2005 which should be used for the adjustment calculations. The excel file "calculating_adjusted_inc_prev_pmp_for_2010_using_eu27_2005.xls" gives an example how to calculate the for age and gender adjusted values.

To calculate the adjusted values, please take into account the "% Coverage of general population by the registry" (see Table B.1.1).

Age groups	EU27 2005		
	All	Men	Women
0-4	25 319 377	12 987 194	12 332 183
5-9	25 785 403	13 220 589	12 564 814
10-14	27 909 860	14 308 595	13 601 265
15-19	30 553 193	15 655 201	14 897 992
20-24	32 182 224	16 362 495	15 819 729
25-29	33 801 832	17 155 652	16 646 180
30-34	35 618 802	18 014 943	17 603 859
35-39	37 664 584	19 014 329	18 650 255
40-44	37 194 942	18 664 119	18 530 823
45-49	35 145 729	17 491 426	17 654 303
50-54	32 862 110	16 196 648	16 665 462
55-59	30 683 670	15 009 724	15 673 946
60-64	25 257 188	12 132 666	13 124 522
65-69	24 176 265	11 232 568	12 943 697
70-74	20 772 535	9 170 809	11 601 726
75-79	17 024 353	6 886 468	10 137 885
80-84	12 055 615	4 197 014	7 858 601
85-∞	8 007 800	2 300 954	5 706 846
Total	492 015 482	240 001 394	252 014 088

Comments:

"Data included dialysis patients only"

Data from year 2011

Table B.4.4

Prevalence per million population and percentage, unadjusted
prevalent patients on December 31, by cause of renal failure

Country / Region name	Total		GN		PN		PKD		DM		Both		HT		RVD		Misc		Unkn		Missing	
	N		N		N		N		Type I N	Type II N	N		N		N		N		N		N	
Slovakia	3107		437		388		128				986		205		113		805		45		0	

Country / Region name	Total		GN		PN		PKD		DM		Both		HT		RVD		Misc		Unkn		Missing			
	Pmp	%	Pmp	%	Pmp	%	Pmp	%	Type I Pmp	%	Type II Pmp	%	Both Pmp	%	Pmp	%	Pmp	%	Pmp	%	Pmp	%	Pmp	%
Slovakia	574,9	100	80,9	14,1	71,8	12,5	23,7	4,1			182,5	31,7	37,9	6,6	20,9	3,6	149,0	25,9	8,3	1,4	0,0	0,0		

Abbreviations used: GN: glomerulonephritis/sclerosis; PN: pyelonephritis; PKD: polycystic kidneys, adult type; DM: diabetes mellitus; HT: hypertension; RVD: renal vascular disease; Misc: miscellaneous; Unkn: unknown

Remarks:

- The values "Total N" and "Total Pmp" are copied from Table B.4.1.
- Please, fill in "0" when the count ="0". Only leave a box empty (grey) when the data are unavailable.

Comments:

"Data included dialysis patients only"

Data from year 2011

Table B.4.5

Prevalence counts

prevalent patients on December 31, by established therapy

Country / Region name	Total N	Haemodialysis		HDF N	Total HD / HF / HDF N	APD N	Peritoneal Dialysis		Total PD N	Living N	Transplant		Total Tx N	Missing N
		HD hospital / centre N	HD home N				HD type Unkn N	HF N			CAPD N	PD type Unkn N		
Slovakia	3107	1235	0	0	0	1779	3014	43	49	1	93			

Abbreviations used: HD: haemodialysis; Unkn: unknown; HF: haemofiltration; HDF: haemodiafiltration; APD: automated peritoneal dialysis; CAPD: continuous ambulatory peritoneal dialysis; PD: peritoneal dialysis; Tx: transplant

Table B.4.6

Prevalence per million population, unadjusted

prevalent patients on December 31, by established therapy

Country / Region name	Total Pmp	Haemodialysis		HDF Pmp	Total HD / HF / HDF Pmp	APD Pmp	Peritoneal Dialysis		Total PD Pmp	Living Pmp	Transplant		Total Tx Pmp	Missing Pmp
		HD hospital / centre Pmp	HD home Pmp				HD type Unkn Pmp	HF Pmp			CAPD Pmp	PD type Unkn Pmp		
Slovakia	574,9	228,5	0,0	0,0	0,0	329,2	557,7	8,0	9,1	0,2	17,2			

Table B.4.7

Percentage of established therapy, unadjusted

prevalent patients on December 31

Country / Region name	Total %	Haemodialysis		HDF %	Total HD / HF / HDF %	APD %	Peritoneal Dialysis		Total PD %	Living %	Transplant		Total Tx %	Missing %
		HD hospital / centre %	HD home %				HD type Unkn %	HF %			CAPD %	PD type Unkn %		
Slovakia	100	39,7	0,0	0,0	0,0	57,3	97,0	1,4	1,6	0,0	3,0			

Remarks:

- The values "Total N" and "Total Pmp" are copied from Table B.4.1.
- Please, fill in "0" when the count = "0". Only leave a box empty (grey) when the data are unavailable.

Comments:

"Data included dialysis patients only"

Data from year 2011

Table B.5.1

Renal transplants performed in 2011, number and percentage
by donor type

Country / Region name	Total		Related		Unrelated		Living Type Unkn		All		Cadaver		Donor type Unkn	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Slovakia	129	100	10	7,8	3	2,3	0	0,0	13	10,1	116	89,9	0	0,0

Table B.5.2

Renal transplants performed in 2011, per million population
by donor type

Country / Region name	Total		Related		Unrelated		Living Type Unkn		All		Cadaver		Donor type Unkn	
	Pmp		Pmp		Pmp		Pmp		Pmp		Pmp		Pmp	
Slovakia	23,9		1,9		0,6		0,0		2,4		21,5		0,0	

Remarks:

- Please, fill in "0" when the count ="0". Only leave a box empty (grey) when the data are unavailable.
- The general population data of all patients of Table B.1.1 are used to calculate the number of renal transplants per million population. The "% Coverage of general population by the registry" is taken into account.

Comments:

"Data from: Slovak Centre of Organ Transplantation"

Thank you very much for completing the tables.

We would like to mention a maximum of 3 names in the 'Acknowledgements' of the Annual Report of the ERA-EDTA Registry.
Can you please write the names below.

#	Acknowledgement (maximum of 3 persons)
1	Prof. Viera SPUSTOVA, M.D., D.Sc.
2	Ingrid LAJDOVA, Dr., Ph.D.
3	Maria KAROLYOVA