

Data from year 2013

Table B.1.1

General population of the country/region by age group and gender, and percent coverage of the general population in 2013

Country / Region name	General population in thousands							% Coverage of general population by the registry
	All	0-19	20-44	45-64	65-74	75+		
Slovakia	Men	2 638	581	1 068	710	181	98	100,0
	Women	2 776	551	1 021	751	252	201	
	All	5 414	1 132	2 089	1 461	433	299	

Comments:

Data from year 2013

Table B.1.2

Renal centres: total number of centres and number collaborating

<b>Country / Region name</b>	<b>Total number of renal centres</b>	<b>Number of renal centres collaborating with the registry</b>
Slovakia	69	69

**Comments:**

Data from year 2013

Table B.2.1

Incident counts and incident rates per million population, unadjusted  
*at day 1*

Country / Region name	All		Men		Women	
	N	Pmp	N	Pmp	N	Pmp
Slovakia	855	157,9	488	185,0	367	132,2

**Remarks:**

- The general population data of all, men and women of Table B.1.1 are used to calculate the incident rates per million population for all, men and women, respectively. The "% Coverage of general population by the registry" is taken into account.

**Comments:**

"Data included dialysis patients only"

Data from year 2013

Table B.2.2

Gender, mean and median age of incident patients  
*at day 1*

Country / Region name	All				Men				Women			
	%	Mean (years)	SD	Median (years)	%	Mean (years)	SD	Median (years)	%	Mean (years)	SD	Median (years)
Slovakia	100	62,9	13,7	64,0	57,1	61,3	13,5	62,0	42,9	65,0	13,9	67,0

**Remarks:**

- Table B.2.1 is used for the calculation of the percentages.

**Comments:**

"Data included dialysis patients only"

Data from year 2013  
 Table B.2.3  
 Incident rates per million population, adjusted  
 at day 1, adjusted for age and gender

Country / Region name	All Pmp	Men Pmp	Women Pmp
Slovakia	176,0	215,0	144,1

**Remarks:**

- If you enter the general population data of your country/region and the incidence counts at day 1 in the excel file "[calculating\\_adjusted\\_inc\\_prev\\_pmp\\_for\\_2013\\_using\\_eu27\\_2010.xls](#)", it will calculate the adjusted incident rate Pmp for you.
- Otherwise, the table below contains the general population of EU27 of year 2010 which should be used for the adjustment calculations. The excel file "[calculating\\_adjusted\\_inc\\_prev\\_pmp\\_for\\_2013\\_using\\_eu27\\_2010.xls](#)" gives an example how to calculate the for age and gender adjusted values. To calculate the adjusted values, please take into account the "% Coverage of general population by the registry" (see Table B.1.1).

Age groups	EU27 2010		
	All	Men	Women
0-4	26 395 042	13 538 482	12 856 560
5-9	25 671 423	13 164 757	12 506 666
10-14	26 227 258	13 447 626	12 779 632
15-19	28 871 932	14 799 902	14 072 030
20-24	31 748 967	16 165 507	15 583 460
25-29	33 637 765	17 036 136	16 601 629
30-34	34 721 373	17 582 565	17 138 808
35-39	36 330 818	18 323 844	18 006 974
40-44	37 936 179	19 089 702	18 846 477
45-49	36 959 424	18 442 336	18 517 088
50-54	34 559 527	17 057 371	17 502 156
55-59	32 008 654	15 585 644	16 423 010
60-64	28 943 516	13 927 064	15 016 452
65-69	24 005 279	11 254 363	12 750 916
70-74	21 947 335	9 832 684	12 114 651
75-79	17 793 563	7 435 782	10 357 781
80-84	12 919 229	4 816 223	8 103 006
85-∞	10 407 098	3 110 189	7 296 909
<b>Total</b>	<b>501 084 382</b>	<b>244 610 177</b>	<b>256 474 205</b>

**Comments:**

Data from year 2013

Table B.2.4

Incident rates per million population and percentage, unadjusted  
at day 1, by cause of renal failure

Country / Region name	Total		GN		PN		PKD		DM		Both		HT		RVD		Misc		Unkn		Missing	
	N		N		N		N		Type I N	Type II N	N		N		N		N		N		N	
Slovakia	855		96		86		29				331		67		39		186		21		0	

Country / Region name	Total		GN		PN		PKD		DM		Both		HT		RVD		Misc		Unkn		Missing	
	Pmp	%	Pmp	%	Pmp	%	Pmp	%	Type I Pmp %	Type II Pmp %	Pmp	%	Pmp	%	Pmp	%	Pmp	%	Pmp	%	Pmp	%
Slovakia	157,9	100	17,7	11,2	15,9	10,1	5,4	3,4			61,1	38,7	12,4	7,8	7,2	4,6	34,4	21,8	3,9	2,5	0,0	0,0

Abbreviations used: GN: glomerulonephritis/sclerosis; PN: pyelonephritis; PKD: polycystic kidneys, adult type; DM: diabetes mellitus; HT: hypertension; RVD: renal vascular disease; Misc: miscellaneous; Unkn: unknown

**Remarks:**

- The values "Total N" and "Total Pmp" are copied from Table B.2.1.
- Please, fill in "0" when the count = "0". Only leave a box empty (grey) when the data are unavailable.

**Comments:**

"Data included dialysis patients only"

Data from year 2013

Table B.3.1

Incident counts and incident rates per million population, unadjusted  
*at day 91*

Country / Region name	All		Men		Women	
	N	Pmp	N	Pmp	N	Pmp
Slovakia	717	132,4	426	161,5	291	104,8

**Remarks:**

- The general population data of all, men and women of Table B.1.1 are used to calculate the incident rates per million population for all, men and women, respectively. The "% Coverage of general population by the registry" is taken into account.

**Comments:**

"Data included dialysis patients only"

Data from year 2013

Table B.3.2

Gender, mean and median age of incident patients  
*at day 91*

Country / Region name	All				Men				Women			
	%	Mean (years)	SD	Median (years)	%	Mean (years)	SD	Median (years)	%	Mean (years)	SD	Median (years)
Slovakia	100	61,8	13,4	36,0	59,4	60,6	13,0	61,0	40,6	63,6	13,8	66,0

**Remarks:**

- Table B.3.1 is used for the calculation of the percentages.

**Comments:**

"Data included dialysis patients only"



Data from year 2013

Table B.3.3

Incident rates per million population, adjusted  
at day 91, adjusted for age and gender

Country / Region name	All Pmp	Men Pmp	Women Pmp
Slovakia	144,9	184,4	112,0

**Remarks:**

- If you enter the general population data of your country/region and the incidence counts at day 91 in the excel file "[calculating\\_adjusted\\_inc\\_prev\\_pmp\\_for\\_2013\\_using\\_eu27\\_2010.xls](#)", it will calculate the adjusted incident rate Pmp for you.
- Otherwise, the table below contains the general population of EU27 of year 2010 which should be used for the adjustment calculations. The excel file "[calculating\\_adjusted\\_inc\\_prev\\_pmp\\_for\\_2013\\_using\\_eu27\\_2010.xls](#)" gives an example how to calculate the for age and gender adjusted values. To calculate the adjusted values, please take into account the "% Coverage of general population by the registry" (see Table B.1.1).

Age groups	EU27 2010		
	All	Men	Women
0-4	26 395 042	13 538 482	12 856 560
5-9	25 671 423	13 164 757	12 506 666
10-14	26 227 258	13 447 626	12 779 632
15-19	28 871 932	14 799 902	14 072 030
20-24	31 748 967	16 165 507	15 583 460
25-29	33 637 765	17 036 136	16 601 629
30-34	34 721 373	17 582 565	17 138 808
35-39	36 330 818	18 323 844	18 006 974
40-44	37 936 179	19 089 702	18 846 477
45-49	36 959 424	18 442 336	18 517 088
50-54	34 559 527	17 057 371	17 502 156
55-59	32 008 654	15 585 644	16 423 010
60-64	28 943 516	13 927 064	15 016 452
65-69	24 005 279	11 254 363	12 750 916
70-74	21 947 335	9 832 684	12 114 651
75-79	17 793 563	7 435 782	10 357 781
80-84	12 919 229	4 816 223	8 103 006
85-∞	10 407 098	3 110 189	7 296 909
<b>Total</b>	<b>501 084 382</b>	<b>244 610 177</b>	<b>256 474 205</b>

**Comments:**

"Data included dialysis patients only"

Data from year 2013

Table B.3.4

Incident rates per million population and percentage, unadjusted  
at day 91, by cause of renal failure

Country / Region name	Total		GN		PN		PKD		DM		Both		HT		RVD		Misc		Unkn		Missing	
	N		N		N		N		Type I N	Type II N	N		N		N		N		N		N	
Slovakia	717		91		68		26				285		57		29		147		14		0	

Country / Region name	Total		GN		PN		PKD		DM		Both		HT		RVD		Misc		Unkn		Missing	
	Pmp	%	Pmp	%	Pmp	%	Pmp	%	Type I Pmp %	Type II Pmp %	Pmp	%	Pmp	%	Pmp	%	Pmp	%	Pmp	%	Pmp	%
Slovakia	132,4	100	16,8	12,7	12,6	9,5	4,8	3,6			52,6	39,7	10,5	7,9	5,4	4,0	27,2	20,5	2,6	2,0	0,0	0,0

Abbreviations used: GN: glomerulonephritis/sclerosis; PN: pyelonephritis; PKD: polycystic kidneys, adult type; DM: diabetes mellitus; HT: hypertension; RVD: renal vascular disease; Misc: miscellaneous; Unkn: unknown

**Remarks:**

- The values "Total N" and "Total Pmp" are copied from Table B.3.1.
- Please, fill in "0" when the count ="0". Only leave a box empty (grey) when the data are unavailable.

**Comments:**

"Data included dialysis patients only"

Data from year 2013  
 Table B.3.5  
 Incident counts  
 at day 91, by established therapy

Country / Region name	Total N	Haemodialysis					HDF N	Total HD / HF / HDF N	APD N	Peritoneal Dialysis			Total PD N	Living N	Transplant		Total Tx N	Missing N
		HD hospital / centre N	HD home N	HD type Unkn N	HF N	CAPD N				PD type Unkn N	Cadaver N	Tx type Unkn N						
Slovakia	717	301	0	0	4	391	696	7	14	0	21							

Abbreviations used: HD: haemodialysis; Unkn: unknown; HF: haemofiltration; HDF: haemodiafiltration; APD: automated peritoneal dialysis; CAPD: continuous ambulatory peritoneal dialysis; PD: peritoneal dialysis; Tx: transplant

Table B.3.6  
 Incident rates per million population, unadjusted  
 at day 91, by established therapy

Country / Region name	Total Pmp	Haemodialysis					HDF Pmp	Total HD / HF / HDF Pmp	APD Pmp	Peritoneal Dialysis			Total PD Pmp	Living Pmp	Transplant		Total Tx Pmp	Missing Pmp
		HD hospital / centre Pmp	HD home Pmp	HD type Unkn Pmp	HF Pmp	CAPD Pmp				PD type Unkn Pmp	Cadaver Pmp	Tx type Unkn Pmp						
Slovakia	132,4	55,6	0,0	0,0	0,7	72,2	128,6	1,3	2,6	0,0	3,9							

Table B.3.7  
 Percentage of established therapy, unadjusted  
 at day 91

Country / Region name	Total %	Haemodialysis					HDF %	Total HD / HF / HDF %	APD %	Peritoneal Dialysis			Total PD %	Living %	Transplant		Total Tx %	Missing %
		HD hospital / centre %	HD home %	HD type Unkn %	HF %	CAPD %				PD type Unkn %	Cadaver %	Tx type Unkn %						
Slovakia	100	42,0	0,0	0,0	0,6	54,5	97,1	1,0	2,0	0,0	2,9							

**Remarks:**

- The values "Total N" and "Total Pmp" are copied from Table B.3.1.
- Please, fill in "0" when the count = "0". Only leave a box empty (grey) when the data are unavailable.

**Comments:**

"Data included dialysis patients only"

Data from year 2013

Table B.4.1

Prevalent counts and prevalence per million population, unadjusted  
*prevalent patients on December 31*

Country / Region name	All		Men		Women	
	N	Pmp	N	Pmp	N	Pmp
Slovakia	3297	609,0	1914	725,5	1383	498,2

**Remarks:**

- The general population data of all, men and women of Table B.1.1 are used to calculate the prevalence per million population for all, men and women, respectively. The "% Coverage of general population by the registry" is taken into account.

**Comments:**

"Data included dialysis patients only"

Data from year 2013

Table B.4.2

Gender, mean and median age  
*prevalent patients on December 31*

Country / Region name	All				Men				Women			
	%	Mean (years)	SD	Median (years)	%	Mean (years)	SD	Median (years)	%	Mean (years)	SD	Median (years)
Slovakia	100	62,5	13,6	64,0	58,1	61,4	13,2	62,0	41,9	64,0	13,9	66,0

**Remarks:**

- Table B.4.1 is used for the calculation of the percentages.

**Comments:**

"Data included dialysis patients only"

Data from year 2013  
 Table B.4.3  
 Prevalence per million population, adjusted  
*prevalent patients on December 31, adjusted for age and gender*

Country / Region name	All Pmp	Men Pmp	Women Pmp
Slovakia	672,4	838,6	536,8

**Remarks:**

- If you enter the general population data of your country/region and the prevalent counts in the excel file "[calculating\\_adjusted\\_inc\\_prev\\_pmp\\_for\\_2013\\_using\\_eu27\\_2010.xls](#)", it will calculate the adjusted prevalence Pmp for you.
- Otherwise, the table below contains the general population of EU27 of year 2010 which should be used for the adjustment calculations. The excel file "[calculating\\_adjusted\\_inc\\_prev\\_pmp\\_for\\_2013\\_using\\_eu27\\_2010.xls](#)" gives an example how to calculate the for age and gender adjusted values.
- To calculate the adjusted values, please take into account the "% Coverage of general population by the registry" (see Table B.1.1).

Age groups	EU27 2010		
	All	Men	Women
0-4	26 395 042	13 538 482	12 856 560
5-9	25 671 423	13 164 757	12 506 666
10-14	26 227 258	13 447 626	12 779 632
15-19	28 871 932	14 799 902	14 072 030
20-24	31 748 967	16 165 507	15 583 460
25-29	33 637 765	17 036 136	16 601 629
30-34	34 721 373	17 582 565	17 138 808
35-39	36 330 818	18 323 844	18 006 974
40-44	37 936 179	19 089 702	18 846 477
45-49	36 959 424	18 442 336	18 517 088
50-54	34 559 527	17 057 371	17 502 156
55-59	32 008 654	15 585 644	16 423 010
60-64	28 943 516	13 927 064	15 016 452
65-69	24 005 279	11 254 363	12 750 916
70-74	21 947 335	9 832 684	12 114 651
75-79	17 793 563	7 435 782	10 357 781
80-84	12 919 229	4 816 223	8 103 006
85-∞	10 407 098	3 110 189	7 296 909
<b>Total</b>	<b>501 084 382</b>	<b>244 610 177</b>	<b>256 474 205</b>

**Comments:**

"Data included dialysis patients only"

Data from year 2013

Table B.4.4

Prevalence per million population and percentage, unadjusted  
prevalent patients on December 31, by cause of renal failure

Country / Region name	Total		GN		PN		PKD		Type I	DM	Both	HT		RVD		Misc		Unkn		Missing
	N		N		N		N		N	Type II		N	N		N		N		N	N
Slovakia	3297		454		426		169				1091	239		142		706		70		

Country / Region name	Total		GN		PN		PKD		Type I	DM	Both	HT		RVD		Misc		Unkn		Missing
	Pmp	%	Pmp	%	Pmp	%	Pmp	%	Pmp	%		Pmp	%	Pmp	%	Pmp	%	Pmp	%	Pmp
Slovakia	609,0	100	83,9	13,8	78,7	12,9	31,2	5,1			201,5	33,1	44,1	7,2	26,2	4,3	130,4	21,4	12,9	2,1

Abbreviations used: GN: glomerulonephritis/sclerosis; PN: pyelonephritis; PKD: polycystic kidneys, adult type; DM: diabetes mellitus; HT: hypertension; RVD: renal vascular disease; Misc: miscellaneous; Unkn: unknown

**Remarks:**

- The values "Total N" and "Total Pmp" are copied from Table B.4.1.
- Please, fill in "0" when the count ="0". Only leave a box empty (grey) when the data are unavailable.

**Comments:**

"Data included dialysis patients only"

Data from year 2013

Table B.4.5

Prevalence counts

prevalent patients on December 31, by established therapy

Country / Region name	Total N	Haemodialysis		HDF N	Total HD / HF / HDF N	APD N	Peritoneal Dialysis		Total PD N	Transplant			Total Tx N	Missing N
		HD hospital / centre N	HD home N				HD type Unkn N	HF N		CAPD N	PD type Unkn N	Living N		
Slovakia	3297	1073	0	0	9	2128	3210	36	51	0	87			

Abbreviations used: HD: haemodialysis; Unkn: unknown; HF: haemofiltration; HDF: haemodiafiltration; APD: automated peritoneal dialysis; CAPD: continuous ambulatory peritoneal dialysis; PD: peritoneal dialysis; Tx: transplant

Table B.4.6

Prevalence per million population, unadjusted

prevalent patients on December 31, by established therapy

Country / Region name	Total Pmp	Haemodialysis		HDF Pmp	Total HD / HF / HDF Pmp	APD Pmp	Peritoneal Dialysis		Total PD Pmp	Transplant			Total Tx Pmp	Missing Pmp
		HD hospital / centre Pmp	HD home Pmp				HD type Unkn Pmp	HF Pmp		CAPD Pmp	PD type Unkn Pmp	Living Pmp		
Slovakia	609,0	198,2	0,0	0,0	1,7	393,1	592,9	6,6	9,4	0,0	16,1			

Table B.4.7

Percentage of established therapy, unadjusted

prevalent patients on December 31

Country / Region name	Total %	Haemodialysis		HDF %	Total HD / HF / HDF %	APD %	Peritoneal Dialysis		Total PD %	Transplant			Total Tx %	Missing %
		HD hospital / centre %	HD home %				HD type Unkn %	HF %		CAPD %	PD type Unkn %	Living %		
Slovakia	100	32,5	0,0	0,0	0,3	64,5	97,4	1,1	1,5	0,0	2,6			

**Remarks:**

- The values "Total N" and "Total Pmp" are copied from Table B.4.1.
- Please, fill in "0" when the count = "0". Only leave a box empty (grey) when the data are unavailable.

**Comments:**

"Data included dialysis patients only"



Data from year 2013

Table B.5.1

Renal transplants performed in 2013, number and percentage  
by donor type

Country / Region name	Total		Living				All		Cadaver		Donor type Unkn			
	N	%	Related		Unrelated		Type Unkn		N	%	N	%		
Slovakia	118	100	9	7,6	1	0,8	0	0,0	10	8,5	108	91,5	0	0,0

Table B.5.2

Renal transplants performed in 2013, per million population  
by donor type

Country / Region name	Total	Living				All	Cadaver	Donor type Unkn
	Pmp	Related Pmp	Unrelated Pmp	Type Unkn Pmp	All Pmp	Pmp	Pmp	
Slovakia	21,8	1,7	0,2	0,0	1,8	19,9	0,0	

**Remarks:**

- Please, fill in "0" when the count ="0". Only leave a box empty (grey) when the data are unavailable.
- The general population data of all patients of Table B.1.1 are used to calculate the number of renal transplants per million population. The "% Coverage of general population by the registry" is taken into account.

**Comments:**

"Data from: Slovak Centre of Organ Transplantation"

Thank you very much for completing the tables.

We would like to mention a maximum of 3 names in the 'Acknowledgements' of the Annual Report of the ERA-EDTA Registry.  
Please fill in these names below.

#	Acknowledgement (maximum of 3 persons)
1	Prof. Viera SPUSTOVA, M.D., D.Sc.
2	Ingrid LAJDOVA, Dr., Ph.D.
3	Maria KAROLYOVA